

**Monument Measurements**

Width: \_\_\_\_\_  
Thickness: \_\_\_\_\_  
Height: \_\_\_\_\_

Base (if applicable)  
Width: \_\_\_\_\_  
Thickness: \_\_\_\_\_  
Height: \_\_\_\_\_

Total Height: \_\_\_\_\_

The monument will be made of: \_\_\_\_\_

**Excerpt from Rules and Regulations:**

Producers of memorialization materials (i.e.: quarries, quarries who also manufacture memorials, and manufacturers of memorials not quarries, in order to secure the acceptance of their stone in the cemetery, must agree to sell only first grade, clear stone for memorial purposes. Producers must also be willing to guarantee that such stone is free from sap or anything which would cause rust stains, that it will not check or crack. Producers must also agree that should faults develop within five years from the date of setting, the memorial will be replaced without cost to the cemetery, or plot holder, by the same quarry which manufactured the memorial, or the quarry will make and adjustment on material, such adjustment not to delay the replacement of the memorial in the cemetery.

Retail dealers, to secure approval of the cemetery, must first agree to use only first grade stone from approved producers as provided above and must guarantee the memorial to be executed in first grade workmanship. Retail dealers also agree that should faults develop within five years due to the setting, treatment or handling of the memorial by the retail memorial dealer, the memorial will be replaced by the retail memorial dealer without cost to the cemetery or plot holder.

Manufacturer's Signature/Seal: \_\_\_\_\_

Address: \_\_\_\_\_


Phone: \_\_\_\_\_

Dealer's Signature/Seal: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_

Sketch design below, include dimensions:  
(all monuments must have a cross)



Sketch approval: \_\_\_\_\_  
Installation approval: \_\_\_\_\_